



Water-Data Report 2012

**042490673 NORTH BRANCH GRINDSTONE CREEK NEAR ALTMAR, NY**

Southeastern Lake Ontario Basin  
Salmon-Sandy Subbasin

LOCATION.--Lat 43°29'31", long 76°05'40" referenced to North American Datum of 1983, Oswego County, NY, Hydrologic Unit 04140102, at culvert on Hong Kong Road, 4.1 mi upstream from confluence with South Branch Grindstone Creek, and 4.1 mi southwest of Altmar.

DRAINAGE AREA.--10.1 mi<sup>2</sup>.

**SURFACE-WATER RECORDS**

PERIOD OF RECORD.--Annual maximum only--1976 to current year.

GAGE.--Crest-stage partial-record station. Elevation of gage is 450 ft above NGVD of 1929, from topographic map.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 565 ft<sup>3</sup>/s, Apr. 3, 2005, gage height, 15.57 ft; maximum gage height, 16.22 ft, Jan. 14, 2006 (ice jam).

**MAXIMUM PEAK DISCHARGE  
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

<b>Date</b>	<b>Discharge, in ft<sup>3</sup>/s</b>	<b>Discharge qualification code</b>	<b>Gage height, in ft</b>	<b>Gage height qualification code</b>
Jan 29, 2012	192	---	8.33	---