

404523073444001 ALLEY POND SPRING

Long Island Basin
Northern Long Island Subbasin

LOCATION.--Lat 40°45'23", long 73°44'40" referenced to North American Datum of 1927, Queens County, NY, Hydrologic Unit 02030201.

WATER-QUALITY RECORDS

WATER-QUALITY DATA

WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 1 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	pH, water, unfiltered, field, standard units (00400)	Specific conductance, water, unfiltered, µS/cm at 25°C (00095)	Temperature, water, °C (00010)	Turbidity, water, unfiltered, broadband light source (400-680 nm), detectors at multiple angles including 90 +/- 30 degrees, ratiometric correction, NTRU (63676)	Dissolved solids dried at 180°C, water, filtered, mg/L (70300)	Calcium, water, unfiltered, recoverable, mg/L (00916)	Magnesium, water, unfiltered, recoverable, mg/L (00927)	Potassium, water, unfiltered, recoverable, mg/L (00937)
05-25-2011	1130	6.3	206	11.8	0.1	102	12.5	7.65	1.11

WATER-QUALITY DATA

WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 2 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Sodium, water, unfiltered, recoverable, mg/L (00929)	ANC, water, unfiltered, fixed endpoint (pH 4.5) titration, laboratory, mg/L as CaCO ₃ (90410)	Chloride, water, filtered, mg/L (00940)	Fluoride, water, filtered, mg/L (00950)	Silica, water, filtered, mg/L as SiO ₂ (00955)	Sulfate, water, filtered, mg/L (00945)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrite, water, filtered, mg/L as N (00613)
05-25-2011	1130	8.28	28.8	14.8	< .04	15.4	20.7	< .010	5.14	< .001

404523073444001 ALLEY POND SPRING—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 3 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Orthophosphate, water, filtered, mg/L as P (00671)	Barium, water, unfiltered, recoverable, µg/L (01007)	Cadmium, water, unfiltered, µg/L (01027)	Chromium, water, unfiltered, recoverable, µg/L (01034)	Copper, water, unfiltered, recoverable, µg/L (01042)	Iron, water, filtered, µg/L (01046)	Iron, water, unfiltered, recoverable, µg/L (01045)	Lead, water, unfiltered, recoverable, µg/L (01051)	Manganese, water, filtered, µg/L (01056)
05-25-2011	1130	0.009	20.7	< .050	1.3	< .70	< 3.2	63.4	0.38	0.65

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 4 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Manganese, water, unfiltered, recoverable, µg/L (01055)	Mercury, water, unfiltered, recoverable, µg/L (71900)	Silver, water, unfiltered, recoverable, µg/L (01077)	Zinc, water, unfiltered, recoverable, µg/L (01092)	Arsenic, water, unfiltered, µg/L (01002)	Selenium, water, unfiltered, µg/L (01147)	1,2,3-Trichloropropane, water, unfiltered, recoverable, µg/L (77443)	1,2-Dibromo-3-chloropropane, water, unfiltered, recoverable, µg/L (82625)	1,2-Dibromoethane, water, unfiltered, recoverable, µg/L (77651)
05-25-2011	1130	1.3	< .005	< .015	< 2.4	0.30	1.09	< .120	< .400	< .028

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 5 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	1,2-Dichloroethane, water, unfiltered, recoverable, µg/L (32103)	1,2-Dichloropropane, water, unfiltered, recoverable, µg/L (34541)	1,3-Dichloropropane, water, unfiltered, recoverable, µg/L (77173)	1,4-Dichlorobenzene, water, unfiltered, recoverable, µg/L (34571)	1-Naphthol, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49295)	2,4,6-Trichlorophenol, water, unfiltered, recoverable, µg/L (34621)	2,4-Dichlorophenol, water, unfiltered, recoverable, µg/L (34601)	2,4-Dimethylphenol, water, unfiltered, recoverable, µg/L (34606)	2,6-Diethylaniline, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82660)
05-25-2011	1130	< .08	< .0260	< .06	< .026	< .0360	< .34	< .36	< .8	< .0060

404523073444001 ALLEY POND SPRING—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 6 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	2-Chloro-2',6'-diethylacetanilide, water, filtered, recoverable,	2-Chloro-4-amino-6-isopropylamino-s-triazine, water, filtered, recoverable,	2-Ethyl-6-methyl-aniline, water, filtered, recoverable,	2-Methyl-4,6-dinitro-phenol, water, unfiltered, recoverable,	3,4-Dichloro-aniline, water, filtered, recoverable,	3-Chloro-propene, water, unfiltered, recoverable,	4-Chloro-2-methyl-phenol, water, filtered, recoverable,	4-Chloro-3-methyl-phenol, water, filtered, recoverable,	4-Nitro-phenol, water, unfiltered, recoverable,
		µg/L (61618)	µg/L (04040)	µg/L (61620)	µg/L (34657)	µg/L (61625)	µg/L (78109)	µg/L (61633)	µg/L (34452)	µg/L (34646)
05-25-2011	1130	< .010	< .006	< .010	< 2	< .0042	< .08	< .0046	< .54	< .52

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 7 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Aceto-chlor, water, filtered, recoverable,	Acrylo-nitrile, water, unfiltered, recoverable,	Alachlor, water, filtered, recoverable,	Aldrin, water, unfiltered, recoverable,	alpha-Endo-sulfan, water, unfiltered, recoverable,	Atrazine, water, filtered, recoverable,	Azinphos-methyl oxygen analog, water, filtered, recoverable,	Azinphos-methyl, water, filtered (0.7 micron glass fiber filter), recoverable,	Benfluralin, water, filtered (0.7 micron glass fiber filter), recoverable,
		µg/L (49260)	µg/L (34215)	µg/L (46342)	µg/L (39330)	µg/L (39388)	µg/L (39632)	µg/L (61635)	µg/L (82686)	µg/L (82673)
05-25-2011	1130	< .010	< .80	< .008	< .013	< .012	< .008	< .042	< .120	< .014

404523073444001 ALLEY POND SPRING—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 8 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Bromo-methane, water, unfiltered, recoverable, µg/L (34413)	Carbaryl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82680)	Carbon disulfide, water, unfiltered, µg/L (77041)	Chlordane (technical), water, unfiltered, recoverable, µg/L (39350)	Chlorpyrifos oxygen analog, water, filtered, recoverable, µg/L (61636)	Chlorpyrifos, water, filtered, recoverable, µg/L (38933)	cis-1,3-Dichloro-propene, water, unfiltered, recoverable, µg/L (34704)	cis-Permethrin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82687)	Cyfluthrin, water, filtered, recoverable, µg/L (61585)
05-25-2011	1130	< .2	< .060	< .1	< .1	< .06	< .0036	< .10	< .010	< .016

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 9 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Cypermethrin, water, filtered, recoverable, µg/L (61586)	DCPA, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82682)	Desulfinyl-fipronil amide, water, filtered, recoverable, µg/L (62169)	Desulfinyl-fipronil, water, filtered, recoverable, µg/L (62170)	Diazinon, water, filtered, recoverable, µg/L (39572)	Dichlorvos, water, filtered, recoverable, µg/L (38775)	Dicrotophos, water, filtered, recoverable, µg/L (38454)	Dieldrin, water, filtered, recoverable, µg/L (39381)	Dieldrin, water, unfiltered, recoverable, µg/L (39380)
05-25-2011	1130	< .020	< .0076	< .029	< .012	< .0060	< .04	< .08	< .008	< .008

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 10 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Dimethoate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82662)	Endrin, water, unfiltered, recoverable, µg/L (39390)	Ethion monoxon, water, filtered, recoverable, µg/L (61644)	Ethion, water, filtered, recoverable, µg/L (82346)	Fenamiphos sulfone, water, filtered, recoverable, µg/L (61645)	Fenamiphos sulfoxide, water, filtered, recoverable, µg/L (61646)	Fenamiphos, water, filtered, recoverable, µg/L (61591)	Fipronil sulfide, water, filtered, recoverable, µg/L (62167)	Fipronil sulfone, water, filtered, recoverable, µg/L (62168)
05-25-2011	1130	< .0060	< .012	< .021	< .008	< .054	< .08	< .030	< .012	< .024

404523073444001 ALLEY POND SPRING—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 11 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Fipronil, water, filtered, recoverable, µg/L (62166)	Fonofos, water, filtered, recoverable, µg/L (04095)	Heptachlor epoxide, water, unfiltered, recoverable, µg/L (39420)	Heptachlor, water, unfiltered, recoverable, µg/L (39410)	Hexachlorobenzene, water, unfiltered, recoverable, µg/L (39700)	Hexazinone, water, filtered, recoverable, µg/L (04025)	Iodmethane, water, unfiltered, recoverable, µg/L (77424)	Iprodione, water, filtered, recoverable, µg/L (61593)	Isofenphos, water, filtered, recoverable, µg/L (61594)
05-25-2011	1130	< .018	< .0048	< .009	< .008	< .30	< .008	< .26	< .014	< .006

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 12 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Lindane, water, unfiltered, recoverable, µg/L (39340)	Malaoxon, water, filtered, recoverable, µg/L (61652)	Malathion, water, filtered, recoverable, µg/L (39532)	Metalaxyl, water, filtered, recoverable, µg/L (61596)	Methidathion, water, filtered, recoverable, µg/L (61598)	Methyl paraoxon, water, filtered, recoverable, µg/L (61664)	Methyl parathion, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82667)	Metolachlor, water, filtered, recoverable, µg/L (39415)	Metribuzin, water, filtered, recoverable, µg/L (82630)
05-25-2011	1130	< .014	< .022	< .016	< .014	< .012	< .014	< .008	< .020	< .012

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 13 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Mirex, water, unfiltered, recoverable, µg/L (39755)	Myclobutanil, water, filtered, recoverable, µg/L (61599)	p,p'-DDD, water, unfiltered, recoverable, µg/L (39360)	p,p'-DDE, water, unfiltered, recoverable, µg/L (39365)	p,p'-DDT, water, unfiltered, recoverable, µg/L (39370)	p,p'-Methoxychlor, water, unfiltered, recoverable, µg/L (39480)	Pendimethalin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82683)	Pentachlorophenol, water, unfiltered, recoverable, µg/L (39032)	Phorate oxygen analog, water, filtered, recoverable, µg/L (61666)
05-25-2011	1130	< .0060	< .010	< .016	< .014	< .010	< .002	< .012	< .6	< .027

404523073444001 ALLEY POND SPRING—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 14 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Phorate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82664)	Phosmet oxygen analog, water, filtered, recoverable, µg/L (61668)	Phosmet, water, filtered, recoverable, µg/L (61601)	Prometon, water, filtered, recoverable, µg/L (04037)	Prometryn, water, filtered, recoverable, µg/L (04036)	Propyz-amide, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82676)	Simazine, water, filtered, recoverable, µg/L (04035)	Tebu-thiuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82670)	Terbufos oxygen analog sulfone, water, filtered, recoverable, µg/L (61674)
05-25-2011	1130	< .020	< .0511	< .140	< .012	< .006	< .0036	< .006	< .028	< .045

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 15 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Terbufos, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82675)	Terbuthyl-azine, water, filtered, recoverable, µg/L (04022)	Toxa-phene, water, unfiltered, recoverable, µg/L (39400)	trans-1,3-Dichloro-propene, water, unfiltered, recoverable, µg/L (34699)	Tribuphos, water, filtered, recoverable, µg/L (61610)	Trifluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82661)	PCBs, water, unfiltered, recoverable, µg/L (39516)	1,1,1,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (77562)	1,1,1-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34506)
05-25-2011	1130	< .018	< .006	< 1	< .14	< .018	< .018	< .1	< .040	< .030

404523073444001 ALLEY POND SPRING—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 16 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	1,1,2,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (34516)	1,1,2-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (77652)	1,1,2-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34511)	1,1-Di-chloro-ethane, water, unfiltered, recoverable, µg/L (34496)	1,1-Di-chloro-ethene, water, unfiltered, recoverable, µg/L (34501)	1,1-Di-chloro-propene, water, unfiltered, recoverable, µg/L (77168)	1,2,3,4-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (49999)	1,2,3,5-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (50000)	1,2,3-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (77613)
05-25-2011	1130	< .14	0.031	< .028	< .044	< .022	< .040	< .10	< .080	< .06

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 17 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	1,2,3-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77221)	1,2,4-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (34551)	1,2,4-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77222)	1,2-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34536)	1,2-Diphenyl-hydrazine, water, unfiltered, recoverable, µg/L (82626)	1,3,5-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77226)	1,3-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34566)	2,2-Di-chloro-propane, water, unfiltered, recoverable, µg/L (77170)	2,4-Dinitro-phenol, water, unfiltered, recoverable, µg/L (34616)
05-25-2011	1130	< .060	< .08	< .032	< .028	< .30	< .032	< .024	< .06	< 2

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 18 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	2,4-Dinitro-toluene, water, unfiltered, recoverable, µg/L (34611)	2,6-Dinitro-toluene, water, unfiltered, recoverable, µg/L (34626)	2-Chloro-naphthalene, water, unfiltered, recoverable, µg/L (34581)	2-Chloro-phenol, water, unfiltered, recoverable, µg/L (34586)	2-Chloro-toluene, water, unfiltered, recoverable, µg/L (77275)	2-Ethyl-toluene, water, unfiltered, recoverable, µg/L (77220)	2-Nitro-phenol, water, unfiltered, recoverable, µg/L (34591)	3,3'-Dichloro-benzidine, water, unfiltered, recoverable, µg/L (34631)	4-Bromo-phenyl phenyl ether, water, unfiltered, recoverable, µg/L (34636)
05-25-2011	1130	< .56	< .4	< .16	< .26	< .028	< .032	< .4	< .42	< .24

404523073444001 ALLEY POND SPRING—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 19 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	4-Chloro-phenyl ether, water, unfiltered, recoverable, µg/L (34641)	4-Chloro-toluene, water, unfiltered, recoverable, µg/L (77277)	4-Iso-propyl-toluene, water, unfiltered, recoverable, µg/L (77356)	9H-Fluorene, water, unfiltered, recoverable, µg/L (34381)	Acenaph-thene, water, unfiltered, recoverable, µg/L (34205)	Acenaph-thylene, water, unfiltered, recoverable, µg/L (34200)	Acetone, water, unfiltered, recoverable, µg/L (81552)	Anthra-cene, water, unfiltered, recoverable, µg/L (34220)	Benzene, water, unfiltered, recoverable, µg/L (34030)
05-25-2011	1130	< .34	< .042	< .06	< .34	< .28	< .30	< 3.4	< .38	< .026

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 20 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Benzo[a]-anthra-cene, water, unfiltered, recoverable, µg/L (34526)	Benzo[a]-pyrene, water, unfiltered, recoverable, µg/L (34247)	Benzo[a]-fluor-anthene, water, unfiltered, recoverable, µg/L (34230)	Benzo-[ghi]-perylene, water, unfiltered, recoverable, µg/L (34521)	Benzo[k]-fluoran-thene, water, unfiltered, recoverable, µg/L (34242)	Benzyl n-butyl phthalate, water, unfiltered, recoverable, µg/L (34292)	Bis(2-chloro-ethoxy)-methane, water, unfiltered, recoverable, µg/L (34278)	Bis(2-chloro-ethyl) ether, water, unfiltered, recoverable, µg/L (34273)	Bis(2-chloro-isopropyl) ether, water, unfiltered, recoverable, µg/L (34283)
05-25-2011	1130	< .26	< .32	< .30	< .38	< .30	< 1.8	< .24	< .30	< .14

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 21 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Bis(2-ethylhexyl) phthalate, water, unfiltered, recoverable, µg/L (39100)	Bromo-benzene, water, unfiltered, recoverable, µg/L (81555)	Bromo-chloro-methane, water, unfiltered, recoverable, µg/L (77297)	Bromo-dichloro-methane, water, unfiltered, recoverable, µg/L (32101)	Bromo-ethene, water, unfiltered, recoverable, µg/L (50002)	Chloro-benzene, water, unfiltered, recoverable, µg/L (34301)	Chloro-ethane, water, unfiltered, recoverable, µg/L (34311)	Chloro-methane, water, unfiltered, recoverable, µg/L (34418)	Chrysene, water, unfiltered, recoverable, µg/L (34320)
05-25-2011	1130	< 2.6	< .022	< .06	< .034	< .12	< .026	< .06	< .1	< .32

404523073444001 ALLEY POND SPRING—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 22 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	cis-1,2-Dichloroethene, water, unfiltered, recoverable, µg/L (77093)	Dibenzo-[a,h]-anthracene, water, unfiltered, recoverable, µg/L (34556)	Dibromochloromethane, water, unfiltered, recoverable, µg/L (32105)	Dibromomethane, water, unfiltered, recoverable, µg/L (30217)	Dichlorodifluoromethane, water, unfiltered, recoverable, µg/L (34668)	Dichloromethane, water, unfiltered, recoverable, µg/L (34423)	Diethyl ether, water, unfiltered, recoverable, µg/L (81576)	Diethyl phthalate, water, unfiltered, recoverable, µg/L (34336)	Diisopropyl ether, water, unfiltered, recoverable, µg/L (81577)
05-25-2011	1130	< .022	< .42	< .12	< .050	< .10	< .04	< .1	< .62	< .06

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 23 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Dimethyl phthalate, water, unfiltered, recoverable, µg/L (34341)	Di-n-butyl phthalate, water, unfiltered, recoverable, µg/L (39110)	Di-n-octyl phthalate, water, unfiltered, recoverable, µg/L (34596)	Ethyl methacrylate, water, unfiltered, recoverable, µg/L (73570)	Ethyl methyl ketone, water, unfiltered, recoverable, µg/L (81595)	Ethylbenzene, water, unfiltered, recoverable, µg/L (34371)	Fluoranthene, water, unfiltered, recoverable, µg/L (34376)	Hexachlorobutadiene, water, unfiltered, recoverable, µg/L (39702)	Hexachlorocyclopentadiene, water, unfiltered, recoverable, µg/L (34386)
05-25-2011	1130	< .36	< 2.00	< .6	< .20	< 1.6	< .036	< .30	< .08	< .50

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 24 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Hexachloroethane, water, unfiltered, recoverable, µg/L (34396)	Indeno-[1,2,3-cd]-pyrene, water, unfiltered, recoverable, µg/L (34403)	Isobutyl methyl ketone, water, unfiltered, recoverable, µg/L (78133)	Iso-phorone, water, unfiltered, recoverable, µg/L (34408)	Isopropylbenzene, water, unfiltered, recoverable, µg/L (77223)	Methyl acetate, water, unfiltered, recoverable, µg/L (77032)	Methyl acrylate, water, unfiltered, recoverable, µg/L (49991)	Methyl acrylonitrile, water, unfiltered, recoverable, µg/L (81593)	Methyl methacrylate, water, unfiltered, recoverable, µg/L (81597)
05-25-2011	1130	< .22	< .38	< .32	< .26	< .042	< .46	< .8	< .26	< .22

404523073444001 ALLEY POND SPRING—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 25 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Methyl tert-butyl ether, water, unfiltered, recoverable,	Methyl tert-pentyl ether, water, unfiltered, recoverable,	Methylene blue active substances, water, unfiltered, recoverable,	m-Xylene plus p-xylene, water, unfiltered, recoverable,	Naphthalene, water, unfiltered, recoverable,	n-Butyl methyl ketone, water, unfiltered, recoverable,	n-Butyl benzene, water, unfiltered, recoverable,	Nitrobenzene, water, unfiltered, recoverable,	N-Nitrosodimethylamine, water, unfiltered, recoverable,
		µg/L (78032)	µg/L (50005)	mg/L (38260)	µg/L (85795)	µg/L (34696)	µg/L (77103)	µg/L (77342)	µg/L (34447)	µg/L (34438)
05-25-2011	1130	< .10	< .06	< .050	< .08	< .18	< .4	< .08	< 0.26	< .24

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 26 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	N-Nitrosodimethylamine, water, unfiltered, recoverable,	N-Nitrosodiphenylamine, water, unfiltered, recoverable,	n-Propylbenzene, water, unfiltered, recoverable,	o-Xylene, water, unfiltered, recoverable,	Phenanthrene, water, unfiltered, recoverable,	Phenol, water, unfiltered, recoverable,	Pyrene, water, unfiltered, recoverable,	sec-Butylbenzene, water, unfiltered, recoverable,	Styrene, water, unfiltered, recoverable,
		µg/L (34428)	µg/L (34433)	µg/L (77224)	µg/L (77135)	µg/L (34461)	µg/L (34694)	µg/L (34469)	µg/L (77350)	µg/L (77128)
05-25-2011	1130	< .4	< .28	< .036	< .032	< .32	< .28	< .36	< .034	< .042

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 27 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	tert-Amyl alcohol, water, unfiltered, recoverable,	tert-Butyl alcohol, water, unfiltered, recoverable,	tert-Butyl ethyl ether, water, unfiltered, recoverable,	tert-Butylbenzene, water, unfiltered, recoverable,	Tetra-chloroethene, water, unfiltered, recoverable,	Tetra-chloromethane, water, unfiltered, recoverable,	Tetrahydrofuran, water, unfiltered, recoverable,	Toluene, water, unfiltered, recoverable,	trans-1,2-Dichloroethene, water, unfiltered, recoverable,
		µg/L (77073)	µg/L (77035)	µg/L (50004)	µg/L (77353)	µg/L (34475)	µg/L (32102)	µg/L (81607)	µg/L (34010)	µg/L (34546)
05-25-2011	1130	< .6	< .80	< .032	< .060	0.065	2.71	< 1.4	< .02	< .018

404523073444001 ALLEY POND SPRING—Continued**WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 28 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	trans-1,4-Dichloro-2-butene, water, unfiltered, recoverable, µg/L (73547)	Tribromo-methane, water, unfiltered, recoverable, µg/L (32104)	Trichloro-ethene, water, unfiltered, recoverable, µg/L (39180)	Trichloro-fluoro-methane, water, unfiltered, recoverable, µg/L (34488)	Trichloro-methane, water, unfiltered, recoverable, µg/L (32106)	Vinyl chloride, water, unfiltered, recoverable, µg/L (39175)
05-25-2011	1130	< .4	< .10	3.50	< .06	0.61	< .06